



# LA GARD AuditGard Series

Programmable  
Electronic  
Combination Locks

## LA GARD AuditGard Series at a glance

The AuditGard is a multi-user electronic combination lock that provides superior access control. The lock can be programmed with a Controller, a Manager and eight Users. The AuditGard has a 512 event audit with time and date stamp. Other programmable features include Dual Token (eKey or eKey II), Dual Combination, Time Delay, Time Delay Override (User 9), Silent Alarm, and Remote Signal Override to disable the lock. The AuditGard electronic lock series was designed to increase accountability in the commercial safe market.

The Windows™ based LG-Audit Setup Software has a user-friendly interface, which allows the lock to be configured directly from a PC. Software features include the ability to vary combination lengths, user activation, lock mode selection, external signal mode selection (used with the 2789 and 4002 alarm boxes) and the setting of time delay values. The LG-View Auditing Software is an essential tool for loss prevention, featuring a searchable audit trail with time and date stamp which provides knowledge of who accessed the lock and when.

### Retail



The AuditGard is the perfect choice when accountability is of paramount importance. Potential applications include jewelry safes and cash vaults. The controller code allows Loss Prevention to oversee the on-site Manager, and the quick installation, easy setup and ability to allow multiple users make this lock ideal for the retail market.

### Safe and Accountable

### Commercial



Distributors and Manufacturers can quickly configure the lock for each individual customer's requirements. Offering programmable features such as Delayed Openings, Dual Mode and Silent Alarm Signal, the AuditGard is an ideal solution for commercial applications.

### Secure and Dependable

### Financial



The AuditGard has many financial applications such as securing cash drawers and ATMs, and can provide multiple user Access Control with audit accountability. The Dual Token option, requiring both individual code and key to access the lock, increases security by preventing the sharing of combinations. The AuditGard delivers outstanding security and reliability for the financial sector.

### Solid and Reliable


## Features/Specifications



Swing Bolt



Dead Bolt



Redundant Mechanical 4-Wheel

### Recommended



5750-K Round Entry, Audit & eKey II



3125 Round Entry, Audit & eKey

## Functionality

### Features and Benefits

#### Users

Controller, One Manager and Eight Access Users

#### Audit Trail

Utilizing LG View Software, the last 512 events are captured with date and time stamp.

#### Time Delay

Entering a valid combination will begin the delay period. The lock can not be opened until the delay period ends.

- Delay Period: 1-99 minutes
- Open Period: 1-19 minutes

#### Time Delay Override Mode

Enables User 9 to override the delay period.

#### Dual Code

Requires the use of two valid combinations to open the lock

#### Dual Token

Use of either the eKey or eKey II along with user code for identification purposes.

## Variety of Lock Types

### Silent Alarm

(Alarm box 2789 or 4002 required.)

Duress signal is sent to alarm box if the last number of the combination is entered either using one number higher or lower. Lock will open without indication that duress signal has been sent to the alarm system.

### Remote Override Signal/Signal to Disable Lock

(Alarm box 2789 or 4002 required)

Input signal to the Alarm Box will disable opening of the lock by a valid combination or disable all lock functions.

### Wrong Try Penalty

Four consecutive invalid codes initiates five minute delay period.

### Low Battery Signal

#### Lock Types Available

- 4300M Swing Bolt Lock
- 6040M Dead Bolt Lock
- 6441 Redundant Mechanical 4-Wheel Lock

#### Entries

##### Recommended

- 5750-K Round Entry, Audit &
- eKey II - Backlit Keypad Standard
- 3125 Round Entry, Audit & eKey

## Multiple Entry Options

### Certifications

UL Listing, Type 1  
VdS Listing, Class 2

### Options & Accessories

- 43087 Audit Cable with Serial Interface (5750-K)
- 42160 Audit Cable with Serial Interface (3125 Keypad)
- 2714A AC power Supply with Battery Backup
- 6066 Reset Box
- 3122 eKey (3125 Entry)
- 40169 eKey II (5750-K)
- 2788/2789 Small Battery/Alarm Box
- 4001/4002 Large Battery/Alarm Box

dormakaba USA Inc.  
749 W. Short St.  
Lexington KY 40508  
T: 859 253 4744  
F: 859 255 2655  
Toll-free: 877 522 2627

[www.dormakaba.us](http://www.dormakaba.us)