created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 547667322880

CLASSIFICATION: 10 22 23.23 Movable Panel Systems

PRODUCT DESCRIPTION: The VARIFLEX 88/100 room partition system is a horizontally movable sound insulated partition wall system made of steel and aluminum, comprising individual elements which can be moved independently. A wide variety of design options is possible. The cover panels are

acoustically selfsupporting. An element height of up to 14.5 meters can be realized.



# Section 1: Summary

# **Basic Method / Product Threshold**

#### CONTENT INVENTORY

Inventory	Reporting	Format
-----------	-----------	--------

- Nested Materials Method
- Basic Method
- Threshold Disclosed Per
- Material
- Product

# **Threshold Level**

- C 1,000 ppm
- C Per GHS SDS
- Other

#### Residuals/Impurities Evaluation

- Completed
- C Partially Completed
- Not Completed

## Explanation(s) provided :

Yes ○ No

#### For all contents above the threshold, the manufacturer has:

Characterized ⊙ Yes ○ No

Provided weight and role.

Screened ⊙ Yes ○ No

Provided screening results using HPDC-approved methods.

Identified

○ Yes ⊙ No.

Provided name and CAS RN or other identifier.

## CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

DORMA HUEPPE VARIFLEX [ WOOD NoGS BITUMENS LT-UNK | CAN STEEL NOGS ALUMINUM BM-1 | END | PHY | MAM PLASTICS, E.G. GRANULATES, FORMED PARTS, FIBRES, FOILS, POLYMER RESINS, IN SOLID FORM, NOT DISPERSED, INSOLUBLE IN WATER AND INDIFFERENT NoGS GLASS WOOL NoGS ZINC LT-P1 MUL | AQU KRAFT PAPER NoGS ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1 Nanomaterial ... No

## **INVENTORY AND SCREENING NOTES:**

This HPD was created with Basic Inventory. Substances are listed by weight in the entire product instead of by material. All substances over 1000 ppm or 100 ppm of the product are reported

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions

LCA: Environmental Product Declaration (EPD) by IBU (Arbeitsgemeinschaft Umweltverträgliches Bauprodukt E.V.(AUB)

## CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

O Yes No

PREPARER: Self-Prepared

VERIFIER:

**VERIFICATION #:** 

SCREENING DATE: 2024-09-04 PUBLISHED DATE: 2024-09-04 EXPIRY DATE: 2027-09-04

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

SUBSTANCE NOTES: DORMA Hüppe Variflex (Particle board/chipboard)

SUBSTANCE NOTES: DORMA Hüppe Variflex (Sound insulation material - Bitumen foil)

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

## **DORMA HUEPPE VARIFLEX**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected in these materials at or above the inventory threshold. dormakaba products consist of finished components, and no chemical reactions are needed to develop our products.

OTHER PRODUCT NOTES: -

WOOD ID: Not registered HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-09-04 1:28:39 %: 50.0000 GreenScreen: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component HAZARD TYPE LIST NAME AND SOURCE WARNINGS None found No warnings found on HPD Priority Hazard Lists ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION None found No listings found on Additional Hazard Lists

BITUMENS				
HAZARD DATA SOURCE: Pharos Chemical and Materials Library				HAZARD SCREENING DATE: 2024-09-04 1:28:39
%: 21.0000	GreenScreen: LT-UNK	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Insulator
HAZARD TYPE	LIST NAME AND SO	URCE	WARNINGS	
CAN	IARC	IARC		ossibly carcinogenic to humans - inhaled from occupational
ADDITIONAL LISTINGS	LIST NAME AND SO	URCE	NOTIFICATIO	NO
None found				No listings found on Additional Hazard Lists

STEEL				ID: <b>12597-69-2</b>
HAZARD DATA SOURCE	Pharos Chemical and Materials L	HAZARD SCREENING DATE: 2024-09-04 1:28:39		
%: 17.0000	GreenScreen: NoGS	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Hardware
HAZARD TYPE	LIST NAME AND	SOURCE	WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	S LIST NAME AND	SOURCE	NOTIFICATION	
None found				No listings found on Additional Hazard Lists

ALUMINUM ID: 91728-14-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials I	ibrary		HAZARD SCREENING DATE: 2024-09-04 1:28:
%: <b>5.0000</b>	GreenScreen: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Hardware
HAZARD TYPE	LIST NAME AND	SOURCE	WARNINGS	
END	TEDX - Potential	Endocrine Disruptors	Potential Endo	ocrine Disruptor
PHY	EU - GHS (H-Sta	atements) Annex 6 Table 3-1		es fire spontaneously if exposed to air [Pyrophoric liquids; ids - Category 1]
MAM	GHS - Japan			s damage to organs through prolonged or repeated ecific target organs/systemic toxicity following repeated tegory 1]
MAM	GHS - Japan			s damage to organs [Specific target organs/systemic ng single exposure - Category 1]
PHY	GHS - Japan			act with water releases flammable gas [Substances and h in contact with water, emit flammable gases - Category
PHY	GHS - Malaysia			es fire spontaneously if exposed to air [Pyrophoric liquids; ids - Category 1]
PHY	GHS - Australia			es fire spontaneously if exposed to air [Pyrophoric liquids; ids - Category 1]
PHY	GHS - New Zeal	and	Pyrophoric soli	ids category 1
ADDITIONAL LISTINGS	LIST NAME AND	SOURCE	NOTIFICATIO	N
RESTRICTED LIST	Cradle to Cradle	Products Innovation Institute (C20	CPII) C2C Certified Effective July 1	v4.0 Product Standard Restricted Substances List (RSL) - 1, 2022
			Biological and	Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle	Products Innovation Institute (C20	CPII) C2C Certified CEffective July 1	v4.0 Product Standard Restricted Substances List (RSL) 1, 2022
			Children's Prod	ducts

SUBSTANCE NOTES: DORMA Hüppe Variflex (Frame construction)

# PLASTICS, E.G. GRANULATES, FORMED PARTS, FIBRES, FOILS, POLYMER RESINS, IN SOLID FORM, NOT DISPERSED, INSOLUBLE IN WATER AND INDIFFERENT

ID: 937182-60-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-0					
%: 3.0000	GreenScreen: NoGS	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Sealant	
HAZARD TYPE	LIST NAME AND SOUP	RCE	WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOUF	RCE	NOTIFICATION		
None found				No listings found on Additional Hazard Lists	

GLASS WOOL ID: 308066-92-4

RD SCREENING DATE: 2024-09-04 1:28:39  ANCE ROLE: Insulator
ANCE ROLE: Insulator
varnings found on HPD Priority Hazard Lists
No listings found on Additional Hazard Lists

ZINC						ID: <b>7440-66-6</b>
HAZARD DATA SOURCE:	Pharos Chemical and M	laterials Library				HAZARD SCREENING DATE: 2024-09-04 1:28:40
%: 1.0000	GreenScreen: LT-P1		RC: UNK	NA	NO: <b>No</b>	SUBSTANCE ROLE: Hardware
HAZARD TYPE	LIST N	AME AND SOURCE			WARNINGS	
MUL	Germa	n FEA - Substances Ha	azardous to Waters		Class 3 - Severe	Hazard to Waters
AQU	GHS -	New Zealand			Hazardous to the	aquatic environment - acute category 1
AQU	GHS -	New Zealand			Hazardous to the	aquatic environment - chronic category 1
ADDITIONAL LISTINGS	LIST N	AME AND SOURCE			NOTIFICATION	
RESTRICTED LIST	Green	Science Policy Institute	(GSPI)		GSPI - Six Class	es Precautionary List
					Antimicrobials	
RESTRICTED LIST	Cradle	to Cradle Products Inno	ovation Institute (C2CPI	l)	C2C Certified v4. Effective July 1, 2	0 Product Standard Restricted Substances List (RSL) - 2022
					Biological and En	vironmentally Released Materials
RESTRICTED LIST	Cradle	to Cradle Products Inno	ovation Institute (C2CPI	I)	C2C Certified v4. Effective July 1, 2	0 Product Standard Restricted Substances List (RSL) - 2022
					Children's Produc	cts

SUBSTANCE NOTES: DORMA Hüppe Variflex (Mechanical component - Cast zinc)

SUBSTANCE NOTES: DORMA Hüppe Variflex (Packaging/Labels)

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-0				
%: 1.0000	GreenScreen: NoGS	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND S	OURCE	WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND S	OURCE	NOTIFICATION	
None found				No listings found on Additional Hazard Lists

# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** 

CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Westerstede, Germany

CERTIFICATE URL:

Test\_VOC\_Emission\_complete\_wall\_VE\_TE\_DT\_EN.pdf

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2022-11-24 00:00:00

EXPIRY DATE:

CERTIFIER OR LAB: eco-Institut GmbH

LCA **Environmental Product** Declaration (EPD) by **IBU** 

(Arbeitsgemeinschaft Umweltverträgliches Bauprodukt E.V.(AUB)

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Westerstede, Germany

**CERTIFICATE URL:** 

https://assets.ctfassets.net/y0dk4vkszqeh/3lkFSAyw1kUam2bQt1u3Lz/a9a098ece8045c82ee946c0056dd113c/VARIFLEX\_88100\_Movable\_Wall\_System\_2\_.pdf

ISSUE DATE: 2024-07-03

CERTIFIER OR LAB: Environmental

00:00:00 **EXPIRY** DATE: 2029-

Product Declaration (EPD) by Institut Bauen und Umwelt

e.V. (IBU)

07-02

00:00:00

CERTIFICATION AND COMPLIANCE NOTES:



This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

The information contained in this HPD is to be used only as a voluntary information on our products. dormakaba makes no representation or warranty as to the completeness or accuracy of the information contained herein. The products and specifications set forth in this HPD are subject to change without notice and dormakaba disclaims any and all liability for such changes. The information contained herein is provided without warranties of any kind, either express or implied, and dormakaba disclaims any and all liability for typographical, printing, or production errors or changes affecting the specifications

dormakaba DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL dormakaba BE LIABLE FOR ANY INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE OR USE OF ANY PRODUCT.

All sales of products shall be subject to dormakaba's applicable General Terms and Conditions, a copy of which will be provided by your local dormakaba organisation upon request.

#### MANUFACTURER INFORMATION

MANUFACTURER: dormakaba
ADDRESS: Industriestraße

Westerstede, Niedersachsen Ocholt

COUNTRY: Deutschland LATITUDE: 7.8909000 LONGITUDE: 53.2011000 WEBSITE: www.dorma-hueppe.com

CONTACT NAME: www.dorma-hueppe.com/en-US/contact-us

TITLE: -PHONE: -

EMAIL: sustainability@dormakaba.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### KEY

## **Hazard Types**

AQU Aquatic toxicity
CAN Cancer

**DEV** Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

## GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

**LT-1** List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

#### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain. The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.