

8005OF Offset Square

Entrance Pull Handles



Advantages at a glance

- 316 Marine Grade Stainless Steel
- Designed with your project's needs in mind
- High durability with concealed fixings
- Standard finishes: SSS and PSS
- Powdercoat and custom finishes available on request



AS1428 Compliant

dormakaba's Offset Square Entrance Pull Handles crafted with precision and excellence in mind, these handles are designed to elevate your space with their superior quality and attention to detail.


Made from premium 316 Marine Grade Stainless Steel, these handles are built to withstand the test of time, offering unmatched corrosion resistance for both indoor and outdoor use, even in high traffic areas. The offset square section design ensures effortless functionality, providing comfortable grip and ease of use.

Ideal for a variety of settings, from residential to commercial, these handles are versatile enough to be installed on glass, timber, and aluminium doors. Elevate your entrances with dormakaba's Offset Square Entrance Pull Handles and experience genuine quality that stands out in any space.


Refer to ordering details for a range of optional accessories to suit:

- Back to back extended fixing for timber doors
- Back to back fixing for glass doors
- Disc fixing for timber doors
- Disc fixing for glass doors

Fixing options





GD FIX - glass doors



D FIX - glass, metal or timber doors

Nylon spacers and washers are included with handle for glass door fixing option.





C FIX - timber doors only


Legend

01 Spacer 02 Washer 03 Grub Screw

05 Disc

04 Bolt

06 Coach Bolt



TIMBER DOOR FIXING


Material Size	Bolt Size
14mm Ø	5mm
16mm Ø	5mm
19mm Ø	8mm
25mm Ø	8mm
32mm Ø	8mm

METAL DOOR FIXING

Material Size	Bolt Size
14mm Ø	5mm
16mm Ø	5mm
19mm Ø	8mm
25mm Ø	8mm
32mm Ø	8mm

GLASS DOOR FIXING

Bolt Size
12mm Ø



Ordering details

Item	Article Number	Description	Diameter	Projection	Offset	Overall Length	Fixinç Centre	
BACK TO BACK FIXING								
B8005OF/300/25X10/SSS	9400000015625	B8005OF/300/25X10 OA 325 CTC 300 SSS	25x10	55mm	92.5mm	300mm	325mm	
B8005OF/300/25X10/PSS	9400000015624	B8005OF/300/25X10 OA 325 CTC 300 PSS	25x10	55mm	92.5mm	300mm	325mm	
B8005OF/300/25X10/SF	9400000016450	B8005OF/300/25X10 OA 325 CTC 300 SF	25x10	55mm	92.5mm	300mm	325mm	
B8005OF/450/25X10/SSS	9400000015627	B8005OF/450/25X10 OA 475 CTC 450 SSS	25x10	55mm	92.5mm	450mm	475mm	
B8005OF/450/25X10/PSS	9400000015626	B8005OF/450/25X10 OA 475 CTC 450 PSS	25x10	55mm	92.5mm	450mm	475mm	
B8005OF/450/25X10/SF	9400000016451	B8005OF/450/25X10 OA 475 CTC 450 SF	25x10	55mm	92.5mm	450mm	475mm	
B8005OF/600/25X10/SSS	9400000015629	B8005OF/600/25X10 OA 625 CTC 600 SSS	25x10	55mm	92.5mm	600mm	625mm	
B8005OF/600/25X10/PSS	9400000015628	B8005OF/600/25X10 OA 625 CTC 600 PSS	25x10	55mm	92.5mm	600mm	625mm	
B8005OF/600/25X10/SF	9400000016452	B8005OF/600/25X10 OA 625 CTC 600 SF	25x10	55mm	92.5mm	600mm	625mm	
ACCESSORIES - EXTENDED F	FIXINGS - sold as a po	air						
TM/M8/50	9459508058200	M8/50 FERULE HEAD BOLT TM FIX	Note: When ordering extended fixings please					
TM/M8/75	9459758078200	M8/75 FERULE HEAD BOLT TM FIX		low formula.		_		
TM/M8/90	9400000012887	M8/90 BOLT & 16MM FERULE TM FIX	Door thickness + 20mm for the Ferule + 10mm in to the other handle					
TM/M8/100	9400000012888	M8/100 BOLT & 16MM FERULE TM FIX	= round up to the nearest size offered.					
TM/M8/110	9459118118200	M8/110 BOLT & 16MM FERULE TM FIX	-					
TM/M8/120	9459128128200	M8/120 BOLT & 16MM FERULE TM FIX	-			_		
TM/M8/130	9459138138200	M8/130 BOLT & 16MM FERULE TM FIX	-			_		
TM/M8/150	9459158158200	M8/150 BOLT & 16MM FERULE TM FIX	-			_		
ACCESSORIES - GLASS FIXIN	NGS - sold as a pair							
GF25/M8/50 RND	9459502588301	25 DIA RND GLASS FIXING PAIRS						
ACCESSORIES - GLASS FIXIN	NGS - sold as a pair							
GDF25/M8/50 PSS	9459502588102	25MM GLASS DISK FIX PSS PAIR M8X50MM						
	9459502588101							
GDF25/M8/50 SSS	7437302300101	25MM GLASS DISK FIX SSS PAIR M8X50MM						
ACCESSORIES - DISC FIX & C	CONCEALED FIXING K	IITS						
	9400000016706	DISK FIX KIT 25MM SF						
	9400000016703	DISK FIX KIT 25MM						
	9400000016705	CONCEALED FIXING KIT						