

6000 Series

Plate door furniture

316 grade stainless steel



Product Brochure





dormakaba has a skilled team of specification writers ready to discuss your project in detail. Offering a free, no-obligation hardware scheduling service. This ensures that budget and compliance considerations are always taken into account.

Table of contents

12	6400 Narrow square end plate	16	6500 Narrow round end plate
20	6600 Square end plate	24	6700 Round end plate

Plate door furniture

Solid stainless steel

Our offer of solid 316 grade stainless steel door furniture have remained consistently true to our commitment to high quality materials, first class workmanship and outstanding designs combined with easy fixing. dormakaba works closely with architects, designers and our end users to satisfy the sophisticated requirements encountered nowadays in the architectural domain.

Through relationships with architects, designers, end users and installers, the SSS series plate furniture has been developed to meet the highest demands in any project. Furthermore these demands require us to place a strong emphasis on design innovation, product development and material use.

We consistently strive to maintain our position as the design and innovation leader that others follow in all facets of architectural hardware.

The dormakaba SSS series has an extensive combination of possibilities with co-ordinated lever designs. Moreover the SSS plate designs are characterised by exemplary functional integrity, wear resistance and excellent loadability in any commercial project application.





Choosing the right lever design can make any door stand out, and the dormakaba range of levers offers an aesthetically pleasing choice to complement your building's design.

Door handing chart



The dormakaba 6000 Series features an easy handing adjustment if required, simply remove and refit the handing screw on the back of the plate using a Phillips head screwdriver. This can be done quickly and conveniently on-site.

Note: Our 85, 85T, and 114 levers feature a unique one-sided design. For these models, handing must be specified at the time of ordering to ensure the desired appearance

SSS plate door furniture

Ordering guide

64		00	F / 40	SSS	
Plate * 64 = 6400 Narrow square end plate 65 = 6500 Narrow round end plate * 66 = 6600 Square end plate 67 = 6700 Round end plate				Finish SSS = Satin Stainless Steel PSS = Polished Stainless Steel BLK = Black PVD	
Note: (*) Plate available in BLK - Black PVD				Note: Black PVD available in 70 lever only	
Function * 00 = external cylinder hole * 01 = internal cylinder hole * 03 = internal turnsnib 04 = external emergency release * 05 = external plain * 06 = internal plain 07 = internal disabled turnsnib 10 = external cylinder hole - no lever 11 = internal cylinder hole - no lever 13 = internal turnsnib - no lever 14 = external emergency release - no lever 15 = external plain - no lever 16 = internal plain - no lever 17 = internal disabled turnsnib - no lever 42 = external turnsnib and indicator - handed 48 = external disabled turnsnib and indicator - handed 49 = external emergency release and indicator - handed 52 = external turnsnib and indicator - no lever handed 57 = internal disabled turnsnib and indicator - handed 58 = external disabled turnsnib and indicator - no lever handed 59 = external emergency release and indicator - no lever handed				Handle Type 20 = 20 Lever handle 21 = 21 Lever handle 25 = 25 Lever handle 27T = 27 Tubular Lever handle 32 = 32 Lever handle 34 = 34 Lever handle 36 = 36 Lever handle 37 = 37 Lever handle 39 = 39 Lever handle 40 = 40 Lever handle 40T = 40 Tubular Lever handle 45 = 45 Lever handle 45T = 45 Tubular Lever handle 55 = 55 Lever handle 55T = 55 Tubular Lever handle 60T = 60 Tubular Lever handle 70 = 70 Lever handle 70T = 70 Tubular Lever handle 75 = 75 Lever handle 75T = 75 Tubular Lever handle 80 = 80 Lever handle 80T = 80 Tubular Lever handle 81T = 81 Lever handle 82T = 82 Lever handle 85 = 85 Lever handle 85T = 85 Tubular Lever handle 90 = 90 Lever handle 100 = 100 Lever handle 101 = 01 Lever handle 105 = 105 Lever handle 110 = 110 Lever handle 114R= 114R Lever handle 114L= 114L Lever handle 120 = 120 Lever handle	
Note: (*) Function is available in BLK - Black PVD					
		Plate Options F = Fixed lever LED = LED option			





Note: indicates Disabled Access.

Note: (*) Function is available in BLK - Black PVD




Lever options

Note: 6400 Series & 6500 Series narrow plate (12.7mm plate depth)
 (+) = +2.7mm to suit plate depth



20



21



25



27T



32




34


36


37


39




40 & 40T




45 & 45T




55




60T




70




70T




75 & 75T




80 & 80T




81T




82T




85 & 85T




90




100




101




105




110



114



120



6400 Series

Narrow square end plate furniture

Features

- A true rectangular narrow plate displaying clean modern lines with bevelled edges
- Manufactured using hygienic and corrosion resistant 316 solid stainless steel
- A characteristic feature of stainless steel door furniture is the naturally gleaming finish
- Concealed fixed external plates with visible fixed internal plates connected with bolt through fixings
- Extensive range of optional plate functions
- Designed with bolt through fixing for use with Australian narrow stile mortice locks and latches.
- Non handed* plate with oscillating lever action for quick reversal of handing.
- Heavy duty spring mechanism manufactured using the highest grade materials
- Nylon shim preventing metal to metal wear and providing a smoother friction free movement
- All turn snibs and privacy snibs on plate are supplied with a heavy duty star spindle for positive turn actuation and furthermore provides for true installation alignment
- Standard screws in 5/32 thread to suit door thickness of 32mm-45mm thick doors

Note: Certain Coastal series lever designs are not compatible with all narrow backset mortice locks. Check your requirements against the suitability chart in this brochure.

*** Note:** Not all levers are non handed, Lever designs 85, 85T and 114 are handed due to their design.

Fire rating

The 6400 series plate furniture is fire rated and complies with AS1905.1-2005 Part 1

Disabled compliance

Disabled turn's on plates 6407 and 6417 feature a user friendly finger grip of non entrapment design.
Designed with the assistance of access consultants.

Functions

See functions chart for all available functions.

Finish


Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
Black PVD	BLK

Note: other finishes available on request

Spare parts

SP6000-001	Standard screws to suit 32mm-45mm thick doors per 2
SP6000-002	Extended screws to suit 50mm-90mm thick doors per 2
SP4000-003	Split spindle pack (2 x split spindles & 2 x springs)
SP4000-008	75mm star spindle
SP4000-009	Extended split spindle to suit 100mm doors up to 100mm per 2
SP6000-003	Security TORX head screws (per 2) SSS

Dimensions





01



02



03



04

01

6400-70
External concealed plate with
oval cylinder hole and 70 lever

02

6415
External concealed plate

03

6407-70
Internal visible fix plate with
standard turn snib and 70 lever


04

6413
Internal visible fix plate with
standard turn


6400 Series

Narrow round end plate furniture range


External concealed fix plates with lever




External concealed fix plain plates









Internal visible fix plates with lever














































Internal visible fix plain plates



Function

					
Oval cylinder hole	Standard turn snib	Privacy button	Fixed lever	LED	Disabled turn snib

Lever options & backset suitability – based on frame 12mm stop						● Yes — No						
Lever style		23	25.4	30	38	Lever Style		DAC	23	25.4	30	38
						70			●	●	●	●
20		●	●	●	●	70T			●	●	●	●
21	 	●	●	●	●	75			●	●	●	●
25		●	●	●	●	75T			●	●	●	●
27T		●	●	●	●	80			●	●	●	●
32		●	●	●	●	80T			●	●	●	●
34		●	●	●	●	81T			●	●	●	●
36		●	●	●	●	82T			●	●	●	●
37	 	-	-	●	●	85*			●	●	●	●
39	 	-	-	●	●	85T*			●	●	●	●
40		●	●	●	●	90			-	-	●	●
40T		●	●	●	●	100			-	-	●	●
45		●	●	●	●	101			-	-	●	●
45T		●	●	●	●	105			-	-	●	●
55		●	●	●	●	110			●	●	●	●
55T		●	●	●	●	114*			●	●	●	●
60T	 	●	●	●	●	120			-	-	●	●



Note: the following levers marked
are AS1428.1 2009 compliant

* **Note:** the 85, 85T and 114 levers are handed due to the lever design.

6500 Series

Narrow round end plate furniture

Features

- A stylish alternative to the narrow square end plate displaying clean modern lines with bevelled edges
- Manufactured using hygienic and corrosion resistant 316 solid stainless steel
- A characteristic feature of stainless steel door furniture is the naturally gleaming finish
- Concealed fixed external plates with plates connected with bolt through fixings
- Extensive range of optional plate functions
- Designed with bolt through fixing for use with Australian narrow stile mortice locks and latches
- Non handed plate with oscillating lever action for quick reversal of handing
- Heavy duty spring mechanism manufactured using the highest grade materials
- Nylon shim preventing metal to metal wear and providing a smoother friction free movement
- All turn snibs and privacy snibs on plate are supplied with a heavy duty star spindle for positive turn actuation and furthermore provides for true installation alignment
- Standard screws in 5/32 thread to suit door thickness of 32mm-45mm thick doors

Note: Certain Coastal series lever designs are not compatible with all narrow backset mortice locks. Check your requirements against the suitability chart in this brochure.

*** Note:** Not all levers are non handed, Lever designs 85, 85T and 114 are handed due to their design.

Fire rating

The 6500 series plate furniture is fire rated and complies with AS1905.1-2005 Part 1

Disabled Compliance

Disabled turn's on plates 6507 and 6517 feature a user friendly finger grip of non entrapment design.
Designed with the assistance of access consultants.

Functions

See functions chart for all available functions.


Finish

Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
Black PVD	BLK

Note: other finishes available on request

Spare parts

SP6000-001	Standard screws to suit 32mm-45mm thick doors per 2
SP6000-002	Extended screws to suit 50mm-90mm thick doors per 2
SP4000-003	Split spindle pack (2 x split spindles & 2 x springs)
SP4000-008	75mm star spindle
SP4000-009	Extended split spindle to suit 100mm doors up to 100mm per 2
SP6000-003	Security TORX head screws (per 2) SSS





01



02



03



04

01
6500-70
External concealed plate with
oval cylinder hole and 70 lever

02
6514
External concealed plate with
privacy button


03
6503-70
Internal visible fix plate with
standard turn snib and 70 lever

04
6516
Internal visible fix plate


6500 Series

Narrow round end plate furniture range


External concealed fix plates with lever




External concealed fix plain plates









Internal visible fix plates with lever











































Internal visible fix plain plates



Function

					
Oval cylinder hole	Standard turn snib	Privacy button	Fixed lever	LED	Disabled turn snib

Lever options & backset suitability – based on frame 12mm stop						● Yes		— No					
Lever style			23	25.4	30	38	Lever Style		DAC	23	25.4	30	38
20			●	●	●	●	70T			●	●	●	●
21			●	●	●	●	75			●	●	●	●
25			●	●	●	●	75T			●	●	●	●
27T			●	●	●	●	80			●	●	●	●
32			●	●	●	●	80T			●	●	●	●
34			●	●	●	●	81T			●	●	●	●
36			●	●	●	●	82T			●	●	●	●
37			-	-	●	●	85*			●	●	●	●
39			-	-	●	●	85T*			●	●	●	●
40			●	●	●	●	90			-	-	●	●
40T			●	●	●	●	100			-	-	●	●
45			●	●	●	●	101			-	-	●	●
45T			●	●	●	●	105			-	-	●	●
55			●	●	●	●	110			●	●	●	●
55T			●	●	●	●	114*			●	●	●	●
60T			●	●	●	●	120			-	-	●	●
70			●	●	●	●							



Note: the following levers marked
are AS1428.1 2009 compliant

* **Note:** the 85, 85T and 114 levers are handed due to the lever design.

6600 Series

Square end plate furniture

Features

- A true rectangular plate displaying clean modern lines with bevelled edges
- Manufactured using hygienic and corrosion resistant 316 solid stainless steel
- A characteristic feature of stainless steel door furniture is the naturally gleaming finish
- Concealed fixed external plates with visible fixed internal plates connected with bolt through fixings
- Extensive range of optional plate functions
- Designed with bolt through the door fixing for use with the dormakaba MS2602 series mortice locks and latches
- Heavy duty spring mechanism manufactured using the highest grade materials
- Nylon bush preventing metal to metal wear and providing a smoother friction free movement
- All turn snibs and privacy snibs on plate are supplied with a heavy duty star spindle for positive turn actuation and furthermore provides for true installation alignment
- Compatible with all Coastal and Urban lever designs
- Standard screws in 5/32 thread to suit door thickness of 32mm-50mm thick doors

* **Note:** Not all levers are non handed, Lever designs 85, 85T and 114 are handed due to their design.

Fire rating

The 6600 series plate furniture is fire rated and complies with AS1905.1-2005 Part 1

Disabled compliance

Disabled turn's on plates 6607, 6648, 6617, 6658 and 6657 feature a user friendly finger grip of non entrapment design. Designed with the assistance of access consultants.

Functions

See functions chart for all available functions.

Finish


Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
Black PVD	BLK

Note: other finishes available on request

Spare parts

SP6000-001	Standard screws to suit 32mm-45mm thick doors per 2
SP6000-002	Extended screws to suit 50mm-90mm thick doors per 2
SP4000-003	Split spindle pack (2 x split spindles & 2 x springs)
SP4000-008	75mm star spindle
SP4000-009	Extended split spindle to suit 100mm doors up to 100mm per 2
SP6000-003	Security TORX head screws (per 2) SSS

Dimensions





01



03

01
6600-70
External concealed plate with
oval cylinder hole and 70 lever



02



04


03
6603-70
Internal visible fix plate with
standard turn snib and 70 lever

04
6618
Internal visible fix plate with
disabled turn snib


6600 Series

Square end plate furniture range


External concealed fix plates with lever




Internal visible fix plates with lever









External concealed fix plain plates



Internal visible fix plain plates



Function

					
Oval cylinder hole	Standard turn snib	Privacy button	Fixed lever	LED	Disabled turn snib

Lever options					
Lever style		Lever Style		Lever Style	
20		45		82T	
21	 	45T		85*	
25		55		85T*	
27T		55T		90	
32		60T	 	100	 
34		30G		101	
36		70T	 	105	
37	 	75	 	110	
39	 	75T	 	114*	
40		80		120	
40T		80T			
		81T			



Note: the following levers marked are AS1428.1 2009 compliant

* **Note:** the 85, 85T and 114 levers are handed due to the lever design.

6700 Series

Round end plate furniture

Features

- A stylish alternative to the rectangular plate displaying clean modern lines with bevelled edges
- Manufactured using hygienic and corrosion resistant 316 solid stainless steel
- A characteristic feature of stainless steel door furniture is the naturally gleaming finish
- Concealed fixed external plates with visible fixed internal plates connected with bolt through fixings
- Extensive range of optional plate functions
- Designed with bolt through the door fixing for use with the dormakaba MS2602 series mortice locks and latches
- Non handed plate with removable stop screw for opposite handing.
- Heavy duty spring mechanism manufactured using the highest grade materials
- Nylon bush preventing metal to metal wear and providing a smoother friction free movement
- All turn snibs and privacy snibs on plate are supplied with a heavy duty star spindle for positive turn actuation and furthermore provides for true installation alignment
- Compatible with all Coastal and Urban series lever designs
- Standard screws in 5/32 thread to suit door thickness of 32mm-50mm thick doors

* **Note:** Not all levers are non handed, Lever designs 85, 85T and 114 are handed due to their design.

Fire rating

The 6700 series plate furniture is fire rated and complies with AS1905.1-2005 Part 1

Disabled compliance

Disabled turn's on plates 6707, 6748, 6717, 6758 and 6757 feature a user friendly finger grip of non entrapment design. Designed with the assistance of access consultants.

Functions

See functions chart for all available functions.

Finish


Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
Black PVD	BLK

Note: other finishes available on request

Spare parts

SP6000-001	Standard screws to suit 32mm-45mm thick doors per 2
SP6000-002	Extended screws to suit 50mm-90mm thick doors per 2
SP4000-003	Split spindle pack (2 x split spindles & 2 x springs)
SP4000-008	75mm star spindle
SP4000-009	Extended split spindle to suit 100mm doors up to 100mm per 2
SP6000-003	Security TORX head screws (per 2) SSS

Dimensions





01



02



03



04

01

6700-70
External concealed plate with
oval cylinder hole and 70 lever

02

6714
External concealed plate with
privacy button

03

6707-70
Internal visible fix plate with
disabled turn snib and 70 lever


04

6716
Internal visible fix plate


6700 Series

Round end plate furniture range


External concealed fix plates with lever




Internal visible fix plates with lever









External concealed fix plain plates




Internal visible fix plain plates



Function

					
Oval cylinder hole	Standard turn snib	Privacy button	Fixed lever	LED	Disabled turn snib

Lever options					
Lever style		Lever Style		Lever Style	
20		45		82T	
21	 	45T		85*	
25		55		85T*	
27T		55T		90	
32		60T	 	100	 
34		30G		101	
36		70T	 	105	
37	 	75	 	110	
39	 	75T	 	114*	
40		80		120	
40T		80T			
		81T			



Note: the following levers marked
are AS1428.1 2009 compliant

* **Note:** the 85, 85T and 114 levers are handed due to the lever design.



Door
Hardware



Electronic
Access & Data



Mechanical
Key Systems



Lodging
Systems



Entrance
Systems



Interior Glass
Systems



Safe
Locks



Service

Our Sustainability Commitment

Our sustainability commitment We are committed to fostering a sustainable development along our entire value chain in line with our economic, environmental and social responsibilities toward current and future generations. We seek an open, transparent dialogue with all stakeholders to define strategies and actions based on clear targets and continuous improvement, and we actively report on our progress.



dormakaba.com.au

000331 Mar25- Subject to change without notice

dormakaba New Zealand
Building P, 61-69 Patiki Road
Avondale, Auckland 1026

T: 0800 436 762
info.nz@dormakaba.com
dormakaba.co.nz

dormakaba Australia
12-13 Dansu Court
Hallam VIC 3803

T: 1800 675 411i
nfo.au@dormakaba.com
dormakaba.com.au

Important information

This Technical Product Guide is intended to provide general information on the installation of dormakaba products and should not be used as a substitute for professional advice. There are many variables that can influence construction projects which affect whether a particular construction technique is appropriate. Before proceeding with any project, we recommend you obtain professional advice to ascertain the appropriate construction techniques to suit the circumstances of your project. We recommend you use qualified tradespersons to install these products. As of February 2025.

The printed colours indicating the surface finishes are not 100% accurate, but do provide a useful guide. Statements made with regard to the nature or use of the products are for the purposes of descriptions. Assent with regard to the existence of particular properties or particular uses always requires special written agreement. Pictures may show special designs which are different to the standard scope of delivery.