Printing date 18.03.2025 Version number 4.0 Revision: 18.03.2025

1 Identification

- · Product identifier
- · Trade name: DORMAKABA CLEANER PUMPSPRAY
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Only for proper handling.
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

dormakaba Schweiz AG Mühlebühlstrasse 23

8623 Wetzikon

Tel: + 41 848 85 86 87 Fax + 41 44 931 63 85

www.dormakaba.com/ch-de

dormakaba Australia Pty Ltd

12-14 Yulong Close

2170 Moorebank NSW

+61 1800 675 411

www.dormakaba.com/au-en

· Further information obtainable from:

info.gb@dormakaba.com info.au@dormakaba.com

Emergency telephone number:

In case of a medical emergency following exposure to a chemical, call Poisons Information Centre Australia 13 11 26

In case of a medical emergency following exposure to a chemical, call Poisons Information Centre Australia 13 11 26

2 Hazard(s) Identification

· Classification of the substance or mixture

Flammable liquids – Category 2 H225 Highly flammable liquid and vapour.

Specific target organ toxicity (single exposure) – H336 May cause drowsiness or dizziness.

Category 3

Aspiration hazard – Category 1 H304 May be fatal if swallowed and enters airways.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms







GHS02 GHS07 GHS08

· Signal word Danger

· Hazard-determining components of labelling:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics

White mineral oil (petroleum)

cyclopentane

Distillates (petroleum), hydrotreated heavy paraffinic

· Hazard statements

H225 Highly flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

(Contd. on page 2)

Printing date 18.03.2025 Version number 4.0 Revision: 18.03.2025

Trade name: DORMAKABA CLEANER PUMPSPRAY

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
EC number: 919-857-5	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics	50-70%
	Flammable liquids – Category 3, H226; Aspiration hazard – Category 1, H304; Specific target organ toxicity (single exposure) – Category 3, H336	
CAS: 8042-47-5 EINECS: 232-455-8	White mineral oil (petroleum) Aspiration hazard – Category 1, H304	10-25%
CAS: 287-92-3 EINECS: 206-016-6 Index number: 601-030-00-2	cyclopentane Flammable liquids – Category 2, H225; Aspiration hazard – Category 1, H304; Specific target organ toxicity (single exposure) – Category 3, H336	5-10%
EC number: 939-603-7	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts Skin sensitisation – Category 1B, H317	≥1-≤2.5%
CAS: 268567-32-4 ELINCS: 434-070-2	Propanoic acid, 3-[[bis(2-methylpropoxy)] phosphinothioyl]thio]-2-methyl- Eye damage/irritation — Category 1, H318; Skin sensitisation — Category 1B, H317	≥0.25-<1%

Regulation (EC) No 648/2004 on detergents / Labelling for contents aliphatic hydrocarbons

· Additional information:

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346. For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eve contact: Rinse opened eve for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

(Contd. of page 1)

Printing date 18.03.2025 Version number 4.0 Revision: 18.03.2025

Trade name: DORMAKABA CLEANER PUMPSPRAY

(Contd. of page 2)

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Emergency Action Code / HazChem-Code •3YE
- · Protective equipment: No special measures required.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

The recommended storage temperature is (deg.C): -10 - +50°C

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 3
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

• Additional information about design of technical facilities: No further data; see section 7.

(Contd. on page 4)

Printing date 18.03.2025 Version number 4.0 Revision: 18.03.2025

Trade name: DORMAKABA CLEANER PUMPSPRAY

Ingredien	ts with limit values that require monitoring	at the w	(Contd. of pag
	cyclopentane	at the vi	orkpiace.
	g-term value: 1720 mg/m³, 600 ppm		
DNELs			
	bons, C9-C11, n-alkanes, isoalkanes, cyclo	alkanes,	<2% aromatics
Oral	DNEL/general population/Systemic effects/Lo		
Dermal	DNEL / Workers / Systemic effects / Long-ter	rm	300 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Lo	ong-term	300 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-tel	rm	1,500 mg/m3 (worker)
	DNEL/general population/Systemic effects/Lo	ong-term	900 mg/m3 (consumer)
8042-47-5	White mineral oil (petroleum)		
Dermal	DNEL / Workers / Systemic effects / Long-ter		220 mg/kg/24h (worker)
	DNEL / Workers / Systemic effects / Long-tel		160 mg/m3 (worker)
	sulfonic acid, di-C10-14-alkyl derivs., calciu		
Oral	DNEL/general population/Systemic effects/Lo	•	, ,
Dermal	DNEL / Workers / Systemic effects / Long-ter		25 mg/kg/24h (worker)
	DNEL/Workers/local effects/acute-short term		1.04 mg/cm2 (worker)
	DNEL/general population/Systemic effects/Lo	•	12.5 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-tel		35.26 mg/m3 (worker)
000507.00	DNEL/general population/Systemic effects/Lo		
	2-4 Propanoic acid, 3-[[bis(2-methylpropox		
Oral	DNEL/general population/Systemic effects/Lo	•	, ,
Dermal	DNEL / Workers / Systemic effects / Long-tel DNEL/general population/Systemic effects/Lo		1.25 mg/kg/24h (worker) 0.6 mg/kg/24h (consumer)
Inhalativa	DNEL/ Workers / Systemic effects / Long-tel	-	4.4 mg/m3 (worker)
IIIIaialive	DNEL/Workers/Systemic effects/acute-short		4.4 mg/m3 (consumer)
	DNEL/general population/Systemic effects/Lo		, ,
	DNEL/general pop/Systemic effects/acute-sh	Ū	1.1 mg/m3 (consumer)
PNECs	21122/gonorai popi eyeterine erreetei aeate err		The terredition
	culfonic acid, di-C10-14-alkyl derivs., calciu	ım ealte	
	quatic organisms / Freshwater		(aquatic organisms)
	quatic organisms / Marine water	_	(aquatic organisms)
	uatic org/intermittent releases(freshwater)	_	aquatic organisms)
PNEC/Aquatic organisms/Sewage treatment plant/STP		l	g/l (aquatic organisms)
PNEC / Aquatic organisms / Sediment (freshwater) 45,211 mg/kg (aquatic organisms		, ,	
PNEC / Aquatic organisms / Sediment (marine water)		l	ng/kg (aquatic organisms)
PNEC / Terrestrial organism / Soil		l	ng/kg (terrestrial organisms)
	2-4 Propanoic acid, 3-[[bis(2-methylpropox		
	quatic organisms / Freshwater		g/l (aquatic organisms)
PNEC / Aquatic organisms / Marine water 0.0072 mg/l (aquatic organisms)			
	uatic org/intermittent releases(freshwater)	l	/I (aquatic organisms)
•	uatic organisms/Sewage treatment plant/STP	-	(aquatic organisms)
-	quatic organisms / Sediment (freshwater)		g (aquatic organisms)
	quatic organisms / Sediment (marine water)		g (aquatic organisms)
PNEC / Terrestrial organism / Soil 4.54 mg/kg (terrestrial organisms)			

Printing date 18.03.2025 Version number 4.0 Revision: 18.03.2025

Trade name: DORMAKABA CLEANER PUMPSPRAY

(Contd. of page 4)

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



safety goggles

· Body protection: Protective work clothing

9 Physical and Chemical Properties

· General Information

Appearance:

· Form: Fluid · Colour: Grey

Odour: Characteristic
 Odour threshold: Not determined.
 pH-value: Not determined.

Change in condition

• Melting point/freezing point: Undetermined.
• Initial boiling point and boiling range: Undetermined.

· Solidification point: -42 °C · Flash point: 9 °C

Flammability
 Auto-ignition temperature:
 Decomposition temperature:
 Highly flammable.
 0 °C (DIN 51794)
 Not determined.

• Explosive properties: Product is not explosive. However, formation of explosive

air/vapour mixtures are possible.

· Explosion limits:

Lower: 0.0 Vol %
 Upper: 0.0 Vol %
 Vapour pressure at 20 °C: 2,100 hPa

Density at 20 °C: 0.796 g/cm³ (ASTM D 4052)

Relative density
 Vapour density
 Evaporation rate
 Not determined.
 Not determined.

(Contd. on page 6)

Revision: 18.03.2025 Printing date 18.03.2025 Version number 4.0

Trade name: DORMAKABA CLEANER PUMPSPRAY

(Contd. of page 5)

· Solubility in / Miscibility with

Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

· Dynamic: Not determined.

Kinematic: < 3 mm²/s @ 40 °C (DIN 51562-1)

· Solvent separation test:

· VOC (EC)

· Other information No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

· Information on toxicological effects

LD/LC50 values relevant for classification:

· Acute toxicity Based on available data, the classification criteria are not met.

Hydrocar	bons, C9-C	C11, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics
Oral	LD50	5,000-15,000 mg/kg (rat)
	NOAEL	1,000-5,000 mg/kg/24h (rat)
Dermal	LD50	2,000 mg/kg (rat)
Inhalative	LC50 / 8h	41-4,467 ppm (rat)
	LC50 / 8h	5 mg/l (rat) (OECD 403)
	NOAEL	200 ppm (rat)
	NOAEC	275-10,400 mg/m3 (rat)
8042-47-5	White mir	neral oil (petroleum)
Oral	LD50	5,000 mg/kg (rat)
	NOEL	20-20,000 ppm (rat)
	NOAEL	1,200 mg/kg/24h (rat)
	NOAEL	20,000 ppm (rat)
	LOEL	20-2,000 ppm (rat)
Dermal	LD50	2,000 mg/kg (rabbit)
	NOAEL	125-2,000 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
Inhalative	LC50 / 4h	5 mg/l (rat)
	NOEL	50 mg/m3 (rat)
	LOEL	210 mg/m3 (rat)
Benzenes	ulfonic ac	id, di-C10-14-alkyl derivs., calcium salts
Oral	LD50	10,000-20,000 mg/kg (rat) (OECD 401)
	NOAEL	500 mg/kg/24h (rat)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)

Printing date 18.03.2025 Version number 4.0 Revision: 18.03.2025

Trade name: DORMAKABA CLEANER PUMPSPRAY

		(Contd. of page 6)	
	NOAEL	1,000 mg/kg/24h (rat)	
Inhalative	LC50 / 4h	1.9 mg/l (rat) (OECD 403)	
	NOAEL	50 mg/m3 (rat)	
268567-32	268567-32-4 Propanoic acid, 3-[[bis(2-methylpropoxy)phosphinothioyl]thio]-2-methyl-		
Oral	LD50	2,000 mg/kg (rat)	
	NOEL	20 mg/kg/24h (rat)	
	NOAEL	100-125 mg/kg/24h (rat)	
	LOAEL	500 mg/kg/24h (rat)	
Dermal	LD50	2,000 mg/kg (rat)	

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard May be fatal if swallowed and enters airways.

12 Ecological Information

· Toxicity

-	toxicity: arbons, C9-C11, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics	
LL50	1,000 mg/l/96h (fish)	
LL50	1,000 mg/l/72h (fish)	
LL50	1,000 mg/l/48h (fish)	
LL50	1,000 mg/l/24h (fish)	
LL0	100 mg/l/96h (fish)	
EL50	1,000 mg/l/48h (aquatic invertebrates)	
EL50	1,000 mg/l/24h (aquatic invertebrates)	
EL50	1,000 mg/l/72h (algae / cyanobacteria)	
EL0	1,000 mg/l/48h (aquatic invertebrates)	
NOELR	0.131 mg/l/28d (fish)	
NOELR	0.23 mg/l/21d (aquatic invertebrates)	
NOELR	3-100 mg/l/72h (algae / cyanobacteria)	
8042-47	-5 White mineral oil (petroleum)	
LL50	100 mg/l/48h (aquatic invertebrates)	
Benzen	esulfonic acid, di-C10-14-alkyl derivs., calcium salts	
EC50	10,000 mg/l/3h (microorganisms)	
LL50	100 mg/l/96h (fish)	
EL50	1,000 mg/l/96h (aquatic algae and cyanobacteria)	
EL50	100-1,000 mg/l/48h (aquatic invertebrates)	
EL50	100-1,000 mg/l/72h (aquatic algae and cyanobacteria)	
EL0	1,000 mg/l/48h (aquatic invertebrates)	
NOEC	1,000 mg/l/72h (aquatic algae and cyanobacteria)	
NOEC	1,000 mg/l/96h (aquatic algae and cyanobacteria)	
NOELR	100 mg/l/72h (aquatic algae and cyanobacteria)	

Printing date 18.03.2025 Version number 4.0 Revision: 18.03.2025

Trade name: DORMAKABA CLEANER PUMPSPRAY

	(Contd. of page 7)
NOELR	100 mg/l/96h (fish)
NOELR	100 mg/l/48d (aquatic invertebrates)
268567-	32-4 Propanoic acid, 3-[[bis(2-methylpropoxy)phosphinothioyl]thio]-2-methyl-
LC50	38 mg/l/96h (fish)
LC0	27 mg/l/96h (fish)
LC100	54 mg/l/96h (fish)
EC50	100 mg/l/24h (aquatic invertebrates)
EC10	51-66 mg/l/72h (algae / cyanobacteria)
EC50	79-100 mg/l/72h (algae / cyanobacteria)
EC100	100 mg/l/48h (aquatic invertebrates)
EC0	24 mg/l/48h (aquatic invertebrates)
EC50	53 mg/l/48h (aquatic invertebrates)
NOEC	3.6 mg/l/21d (aquatic invertebrates)
NOEC	28 mg/l/72h (algae / cyanobacteria)
NOEC	27 mg/l/96h (fish)
NOEC	100 mg/l/3h (microorganisms)
LOEC	5.3 mg/kg/28d (aquatic invertebrates)

- Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:

· Bioaccumulative potential		
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics		
Biodegradability	80 % (28d) (Bioaccumulation) (OECD 301 F)	
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts		
Partition coefficient	6.91 [] (log Kow) (Bioaccumulation)	
268567-32-4 Propanoic acid, 3-[[bis(2-methylpropoxy)phosphinothioyl]thio]-2-methyl-		
Partition coefficient	3.9 [] (log Kow) (Bioaccumulation)	
Bioconcentration factor (BCF)	<10 BCF (Bioaccumulation)	
Biodegradability	<10 % (28d) (Biodegradability) (OECD 301 B)	

- · Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

(Contd. on page 9)

Printing date 18.03.2025 Version number 4.0 Revision: 18.03.2025

Trade name: DORMAKABA CLEANER PUMPSPRAY

Discharged containers can contain flammable or explosive vapours.

(Contd. of page 8)

Transport information	
UN-Number ADG, IMDG, IATA	UN1993
UN proper shipping name ADG IMDG, IATA	1993 FLAMMABLE LIQUID, N.O.S. (cyclopentand Naphtha (petroleum), hydrotreated heavy), special provision 640D FLAMMABLE LIQUID, N.O.S. (cyclopentand Naphtha (petroleum), hydrotreated heavy)
Transport hazard class(es)	Tvapriira (petroleam), myaretreatea ricavy)
ADG	
Class Label	3 (F1) Flammable liquids. 3
IMDG, IATA	
Class Label	3 Flammable liquids.
	<u> </u>
Packing group ADG, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids. 33 F-E, <u>S-E</u> B
Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m
Transport category	2 D/E
Tunnel restriction code	<i>U/E</i>
IMDG Limited quantities (LQ)	1L

Printing date 18.03.2025 Version number 4.0 Revision: 18.03.2025

Trade name: DORMAKABA CLEANER PUMPSPRAY

	(Contd. of page 9)
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (CYCLOPENTANE, NAPHTHA (PETROLEUM), HYDROTREATED HEAVY), 3, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

	· Australian Inventory of Industrial Chemicals		
	White mineral oil (petroleum)		
287-92-3	cyclopentane		
	Propanoic acid, 3-[[bis(2-methylpropoxy)phosphinothioyl]thio]-2-methyl-		
89347-09-1	Alkyl dithio thiadiazole		
	N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine		
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic		
9006-04-6	Natural rubber latex		
106-20-7	bis(2-ethylhexyl)amine		
288-88-0	1,2,4-triazole		
1860-26-0	2-ethyl-N,N-bis(2-ethylhexyl)hexylamine		

· Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

Australia: Priority Existing Chemicals

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · Chemical safety assessment: A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

- · purity requirement
- · Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

- · Contact:
- · Abbreviations and acronyms:

Flammable liquids - Category 2: Flammable liquids - Category 2

(Contd. on page 11)

Page 11/11

Safety Data Sheet according to WHS Regulations

Printing date 18.03.2025 Version number 4.0 Revision: 18.03.2025

Trade name: DORMAKABA CLEANER PUMPSPRAY

(Contd. of page 10)

Flammable liquids – Category 3: Flammable liquids – Category 3
Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1
Skin sensitisation – Category 1B: Skin sensitisation – Category 1B
Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3
Aspiration hazard – Category 1: Aspiration hazard – Category 1

* * Data compared to the previous version altered.