


9000 Series

Wide stile exit devices



Applications

DORMA's heavy duty cast chassis provides superior durability and smooth operation. Its reduced projection touch bar minimizes catch hazards. Partial length touchpad permits cylinder dogging and fire alarms.

Door range

24"-48" (varies by application and selected options. Consult product brochure for full details).

Exit device models

- Concealed Vertical Rod (9100/F9100)
- Rim with or without mullion (9300/F9300)
- Surface Vertical Rod (9400/F9400)
- Mortise (9500/F9500)

Certifications

- ANSI/BHMA 156.3 Grade 1 certified.
- UL and CUL listed.
- Meets UL 10B and 10C for positive pressure.
- Complies with NFPA 101 life safety code. Fire rated devices comply with NFPA 80 fire doors and windows.
- Meets ANSI/BHMA A117.1 and ADA for barrier-free accessibility.
- CSFM approved.
- Contributes to U.S. Green Building Council, LEED MR Credits 2.1, 4.1, 4.2 and 5.1.

Finishes

Architectural finishes

- Brass: 605 (Bright) or 606 (Satin)
- Bronze: 611 (Bright), 612 (Satin), or 613 (Oxidized Satin Oil Rubbed)
- Nickel: 619 (Satin) Chrome: 625 (Bright) or 626 (Satin)
- Stainless Steel: 630 (Satin)

Powder coated finishes

- Aluminum: 689
- Bronze: 691 (Dull) or 695 (Dark Duranodic)
- Black: 693
- Gold: 696

Clear powder coating: Specify P

Antimicrobial protected coating:
Specify AM

dormakaba Solutions

- Corrosion-resistant, heavy-duty gage stainless steel offered standard.
- 9 separate electronic monitoring and control options for managing critical access/egress control applications.
- Choose from 14 ANSI/BHMA standard architectural finishes, or dozens of dormakaba Custom RAL colors, or, for those unique interior designs, dormakaba's Designer Color special color matching system.
- Hundreds of trim and lever styles and finish combinations to satisfy the most demanding interior design requirement.
- Antimicrobial protected coating when ultra clean environments are specified.
- Clear powder coating for outdoor or highly corrosive environments that need added protection. Also minimizes the appearance of fingerprints.

Functions

9100/9300/9400/9500

ANSI	Description
1	Exit Only – No Trim
2	Entrance by trim when actuating bar is locked down.
3	Entrance by trim when latch bolt is retracted by key. Key removable only when locked.
4	Entrance by trim when latch bolt is retracted by key or set in retracted position by key.
5	Entrance by thumbpiece. Key locks or unlocks thumbpiece.
6	Entrance by thumbpiece only when released by key. Key removable only when locked.
8	Entrance by knob or lever. Key locks or unlocks knob or lever.
08x08	Entrance by lever. OS or IS key locks or unlocks lever.
9	Entrance by knob or lever only when released by key. Key removable only when locked.
22	Entrance by thumbpiece (no cylinder). Trim always active.
23	Entrance by knob or lever (no cylinder). Trim always active.

© dormakaba 2025 Information on this sheet is intended for general use only. dormakaba reserves the right to alter designs and specifications without notice or obligation.

Any questions? We would be happy to advise you.
Contact us at: 1-800-523-8483