DECLARATION OF PERFORMANCE dormakaba

DOP_0183_UKCA

- Unique identification code of the product-type: Controlled door closing devices TS 73 V EN 2-4 PARALLEL ARM
- Intended use/es: On fire and smoke compartmentation doors to fulfil the self-closing requirements of such doors.
- Manufacturer: dormakaba Deutschland GmbH DORMA Platz 1 58256 Ennepetal
- System/s of assessment and verification of constancy of performance (AVCP): System 1
- Designated standard: EN 1154: 1996/A1: 2002/AC: 2006
- UK Approved body/ies: Warringtonfire Testing and Certification Limited 1121
- Declared performance/s:

Essential characteristic	Performance	Designated standard
Self-closing	 5.2.1 General: Pass 5.2.3 Closing moment: Pass, door closer power size 2-3 5.2.4 Opening moment: Pass, door closer power size 2-3 5.2.5 Efficiency: Pass, door closer power size 2-3 5.2.6 Closing time: Pass 5.2.7 Angles of operation: Pass, grade 4 5.2.8 Overload performance: Pass 5.2.9 Temperature dependence: Pass 5.2.10 Fluid leakage: Pass 5.2.11 Damage: Pass 5.2.12 Latch Control: Pass 5.2.13 Back check: Pass 5.2.14 Delayed closing: NPD 5.2.15 Adjustable closing force: Pass, door closer power size 2-3 5.2.16 Zero position: NPD 5.2.18 Fire/smoke suitability: Pass, grade 1 	EN 1154: 1996/A1: 2002/AC: 2006
Durability of self-closing	 5.2.2 Durability of self-closing: Pass, grade 8: 500000 cycles 5.2.17 Corrosion resistance: Pass, grade 4: 240 h 	
Dangerous substances	 Substances of very high concern < threshold values 	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011 as it has effect in the United Kingdom in respect of Great Britain, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ennepetal 8.05.2025

Torsten Stolte Senior Vice President Region Germany