


## Interior glass systems

# GP Series panic hardware



#### **Features**

- +/- 1/2" adjustability height and width to accommodate opening variances
- Full range of exterior pull options
- Dogging functionality
- 3-year warranty

#### **Applications**

- Entrances (Interior & Exterior applications)
- Secure Areas

#### Verticals

- Commercial
- Retail
- Hospitality
- Entertainment
- Education

#### Security and safety meet elegance.

Accommodating a wide range of door sizes and applications, the GP Series panic hardware offers a customizable design with simplicity in specification. Working with our small format interchangeable core cylinders makes control and rekeying of an existing system a breeze.

GP Series panic hardware accentuates glass entrance doors with its sleek minimal tubular housing while preserving a glass door's aesthetics.

Versatile, durable, and handsomely styled to accommodate sophisticated architectural designs. dormakaba offers the only complete glass exit device line manufactured on the east coast with quick lead times.

#### **Panic devices**

- GP 1000 Series top latching bolt with manual and electric strikes (fail safe or fail secure)
- GP 1100 Series bottom latching panic with manual strikes

#### **Dummy pulls**

• Complimentary dummy (non-functioning) handles

### Exterior fixed hardware pull handles

#### **Product Detail**

Door type:

Door type:


All available handle types are shown below.


**NOTE:** For reference, the following information appears below each handle type:

• Symbols for the door types allowed with that handle.

#### Key to symbols:

- GP1000
- o GP1100





0

0

0

0

#### **Material**

• 316 Stainless Steel

#### **Specifications**

- For 3/8" through 13/16" glass doors
- Additional options for aluminum and wood doors upon request (please specify thickness).
- Supports up to 120" tall doors\*
- non-standard thickness please specify


#### **Finishes**

- Satin Stainless Steel
- Polished Stainless Steel
- Oil Rub Bronze Equivalent (613E)
- Black (693)
- Powder Coating available upon request

#### Patents, Approvals, and Listings

- ANSI/BHMA A156.3-2014, Grade 1 Certified
- UL305, ULC-S132-07 or UL listed
- Patents Pending

#### Handing



\* Consult dormakaba for specifics on limitations and hardware requirements.



#### **Our Sustainability Commitment**

dormakaba is committed to foster a sustainable development along our entire value chain. In order to give quantified disclosures of a product's environmental impact and its ecological footprint, dormakaba provides Environmental Product Declarations (EPDs). Please download the EPD and read more about our sustainability commitment here or use the QR code provided.





Contact us at: 800.523.8483