

Vacation Rental

# Oracode 480i

## Electronic door lock



The Oracode 480i is a deadbolt solution that offers increased security and peace of mind to homeowners, guests, staff, and property managers. Its small, sleek design blends in with most levers and enhances the design of any property. The lock is easy to install and works with the Oracode Live web application.

### Security features

- No keys or keycards
- Secure, time-sensitive codes
- Audit memory with last 5,000 events stored in lock
- Vandalism and attack resistant
- 1" solid brass deadbolt
- Tamper shutdown protection
- Electronic-code secured website
- Emergency access by mechanical key override (bump-resistant core)

### Simple Retrofit

Property managers can keep existing locksets and reuse them as needed.

### Easy to Install and Maintain

- Installs in minutes in existing deadbolt door prep
- No new holes to drill
- Totally sealed with no exposed electronics
- No software

### Functions

- Six-digit guest codes
- The deadbolt is projected or retracted with a thumbturn
- Multiple user levels

### Finish Options

- Ocean Front Satin Chrome
- Ocean Front Oil-rubbed Bronze

### Applications

Ideal for vacation rentals, property management companies, timeshares, corporate housing, or individual apartments and condominiums. The 480i lock replaces existing deadbolts and gives the property management company or owner the ability to grant access remotely.

### Online Oracode 480i

The Oracode 480i is the online solution for any property. Upgrading to Oracode 480i with the Oracode Smart Controller provides property managers and owners additional flexibility, security, and peace of mind. The online technology allows the user to communicate directly with the Oracode 480i lock from anywhere in the world. Connected to Oracode Live, the lock sends notifications through this website, keeping property managers and owners informed in real time of any occurring event.

# Easy to install: saves on labor, time and costs

## Features

---

|                                |                                                                                                                                                                                  |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Programming Audit Trail</b> | Using Oracode M-Unit (stand-alone) or online (Oracode Live)                                                                                                                      |
| <b>Date/Time Stamp</b>         | Real time; date and hours/minutes                                                                                                                                                |
| <b>Time/Parameters</b>         | Lock time and set-up parameters are maintained for up to four weeks, facilitating battery changes and lock shipping (stand-alone). Time adjust via wireless link (Oracode Live). |
| <b>Passage Mode</b>            | Set by authorized secure access code                                                                                                                                             |
| <b>Code Expiry</b>             | Code expires at the end of the stay                                                                                                                                              |
| <b>Access</b>                  | 128 different access levels                                                                                                                                                      |
| <b>Lockout Mode</b>            | Set or remove by authorized secure access code                                                                                                                                   |
| <b>Feedback</b>                | Audible and visible indicators                                                                                                                                                   |
| <b>Audit Memory</b>            | Last 5,000 events stored in lock<br>Audit Trail is permanently maintained to ensure the highest level of security                                                                |
| <b>Disability Feature</b>      | Unlock time is adjustable from 5 to 15 seconds by administrator user level                                                                                                       |
| <b>Power</b>                   | Three AA batteries with approximately 18 months lifespan                                                                                                                         |

## Owner/Manager Benefits


---

|                                                   |                                                                                                                                                                                                                                                                                          |
|---------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Flexibility</b>                                | Remote code generation, extension, or cancellation<br>Up to one million possible codes                                                                                                                                                                                                   |
| <b>Simplicity</b>                                 | No keys, no cards. Eliminates the cost of managing or replacing keys or cards<br>No more late-night meets to replace lost keys<br>Installs in minutes. No software to install.                                                                                                           |
| <b>Interface</b>                                  | The web-based stand-alone and online Oracode Live system can interface with various PMS                                                                                                                                                                                                  |
| <b>Communication with the Lock (Oracode Live)</b> | Receive notifications of lock events that occur in real time, such as Guest First Arrival and Guest Early Checkout. Set up alerts, such as Low Battery or Internet Down. Cancel codes or extend stay remotely. Receive lock communications by e-mail, SMS, or directly in "live events." |

## Guests Benefits

---

|                      |                                                                          |
|----------------------|--------------------------------------------------------------------------|
| <b>Easy Access</b>   | Guests do not have to check out, pick up, or drop off keys               |
| <b>Peace of Mind</b> | Guests do not need to remember where they put their keys or access cards |



#### Certifications & Testing

|                                           |                                                                                                                                                                                                                                  |
|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Fire Rating</b>                        | Listed for pre-prepared manufactured doors and certified for retrofitting on existing doors by Underwriters Laboratories for use on fire doors having up to a three-hour rating. Evaluated in accordance with UL 10B and UL 10C. |
| <b>Florida Building Code</b>              | Complies with section 1609.1.2 & R301.2.1.2 and does not require impact resistant covering. Meets missile level "D" and includes Wind Zone 4 as defined in ASTM E 1996 and FBC sections 1609.1.2.2 & R301.2.1.2.1.               |
| <b>Electronics</b>                        | FCC Part 15 Class B and CE directive 89/336/EEC compliant                                                                                                                                                                        |
| <b>Environmental Operating Conditions</b> | -31°F to 151°F (-35°C to 66°C)<br>0% to 85% non-condensing humidity at 86°F (30°C)                                                                                                                                               |

#### Warranty

|                                  |           |
|----------------------------------|-----------|
| <b>Standard Factory Warranty</b> | Two years |
|----------------------------------|-----------|

#### Finishes

|                          |                                                         |
|--------------------------|---------------------------------------------------------|
| <b>Standard Finishes</b> | Ocean Front Satin Chrome, Ocean Front Oil-rubbed Bronze |
|--------------------------|---------------------------------------------------------|

© dormakaba 2025 Information on this sheet is intended for general use only. dormakaba reserves the right to alter designs and specifications without notice or obligation.

**Any questions? We would be happy to advise you.**

Contact us at: 888-217-5654

dormakaba USA Inc. | 6161 E. 75th St. | Indianapolis, IN 46250 | [www.dormakaba.us](http://www.dormakaba.us) | [dormakaba.com/us-en/support/oracode](http://dormakaba.com/us-en/support/oracode)